

DSP Sine Wave Static UPS & Inverter series.

Salient Features & Comparison

Features	Other Brands	Lento
State Of Art MOSFET/IGBT Based PWM Technology to increase Crest Factor.	Yes	Yes
Fast Changeover ensuring reliable Compatibility with Computers	No	Yes
Electronic change over, hence much better reliability others are using relay fo changeover whereas we are using SCR (Static Switch)	r No	Yes
Selector Switch for Normal/UPS	No	Yes
TDR (Time Delay Relay), especially for AC compressor based applications	Partly Yes(Some brands have some does not have)	Yes
LCD Display Options	Yes	Yes
Surge Load Capacity up to 300%	No	Yes
DSP based which results proper control over voltage and current	No	Yes

- Major power back up source in corporate offices as well as Call Centers
- Computer & peripherals /office Equipments like, Scanners, Printers, Fax Machine etc.
- Emergency & Mobile Power Systems
- A.C and all Compressor
 Based Applications
- Petrol/Diesel Dispensing (Filling) Machines
- TREADMILL & other Health Equipment in Homes/Gyms
- Water Pumps and similar Motor Based Applications
- All types of clinical equipments.

PRODUCT DESCRIPTION

Most appliances like CFL, fans, motor based equipments like air conditioners and pump sets are designed to work at 50 Hz Frequency. Running such equipments on unregulated quasi sine wave–square wave based inverters poses a risk in regards with performance and durability. Lento DSP sine wave Static UPS and inverters are designed to provide stable 50 Hz sine wave irrespective of load and battery voltage, making them the most suitable for inductive, capacitive and non–resistive loads. Importantly, our inverters and UPS are designed to deliver instantaneous high current during start up, especially in case of air conditioners and refrigerators, with safety cut out when battery voltage goes lower than a specified point to avoid brownouts and burning of motors.



TECHNICAL SPECIFICATIONS OF STATIC UPS & INVERTER

TECHNICAL OF CONTINUE OF CONTI									
DESCRIPTION	MODELS								
INVERTER MODEL	2.5KVA/48V	3KVA/48V	3.5KVA/48V	5KVA/48V	5KVA/96V	7.5KVA/120V	10KVA/180V	12KVA/192V	
No. Load battery Current	≤2.2A								
Max. O/P No. Load Voltage		220\	/ ± 5V		230V ± 5V				
Max. Full Load Voltage	220 ± 7%				230 ± 10%				
Max. load Battery Current Maximum	<49Amp.	<54Amp.	<57Amp.	<106Amp.	<49Amp.	<65Amp.	<53Amp.	<62Amp.	
Full Load O/P Current	8.5 ± 0.7 Amp.	9.5 ± 0.7 Amp.	10.5 ± 0.7 Amp.	17 ± 0.5 Amp.	17 ± 0.5A	27 ± 0.5Amp.	34 ± 0.5 Amp.	38 ± 0.5 Amp.	
Overload Retry		6 Times							
Output Frequency (Inverter Mode)		50.0 ± 1.0 Hz.							
Batt Low Voltage Alarm	10.5V ± 0.2V / Batt.								
Batt Low Voltage Cut		10.0V ± 0.2V / Batt.							
Output Sine wave (Inverter)	Should be 0k								

MAINS MODE

Output Sine Wave (Mains) Through CRO		Should be 0k	
Mains Low Cut	100 ± 10V	115 ± 10V	125 ± 10V
Recovery	110 ± 10V	125 ± 10V	135 ± 10V
Mains High Cut		$280 \pm 10V$	
Recovery		275 ± 10V	
Change Over time (Mains to Inverter)		<50 ms.	
Change Over time (Inverter to Mains)		<10ms.	
Battery Low Retry		4 Times	
Short Circuit, Retry		Ok, 1 Time	
Permanent Short Circuit Protection		Should be 0k	

UPS MODE

Mains Low Cut	180 ± 5V
Recovery	190 ± 5V
Mains High Cut	260 ± 5V
Recovery	255 ± 5V
Change Over time (Mains to UPS)	<=10 ms.
Change Over time (UPS to Mains)	<10ms.

MAINS MODE

Max. Charging Current	20 ± 2Amp.	25 ± 1 Amp.	20 ± 2Amp.
Boost Charging Voltage		14.2V / Batt.	

WEIGHT AND DIMENSIONS

With Packaging LXWXH in mm	470x440x610	470x440x610	470x440x610	500x495x660	500x495x660	600x500x740	600x500x740	600x500x740
With Out packaging LXWXH in mm	310x290x450	10x290x450 310x290x450 310x2		310x290x450 350x300x540		350x300x540 550x350x660		550x350x660
Net Weight	29	32	32	54	54	78	89	104
Gross Weight	36	39	39	58	58	89	100	115

LOAD CHART*

LOAD CHANT										
Application	Load	2.5KVA	3.5KVA	5KVA	7.5KVA	10KVA	12KVA			
	Fan	-	2	4	5	5	5			
Petroleum Outlet	Tube light	-	3	4	5	8	8			
	Petrol Filling machine	1	1	2	3	4	5			
Institute	Fan Only	25	32	50	75	100	110			
	Fan	15	20	35	55	70	75			
	Tube light	10	15	20	35	40	50			
Browsing Centre	A.C	-	-	1	1	2	2			
(Type 1)	Fan	4	6	4	8	8	10			
	Tube light	4	6	4	8	8	10			
	Computers	4	5	2	6	6	6			
	Fan	4	6	10	12	20	25			
Browsing Centre (Type 2)	Tube light	4	6	10	12	20	25			
	Computers	4	5	8	12	15	20			
	AC	-	-	1	1	2	2			
Corporate Bldg.	Fan	15	20	8	12	16	20			
	Tube light	10	15	8	12	16	20			





